



# AFC17ROC117XXXFK

## RF/Coax Cable Assemblies

### 400 Series

### N/Male-SMA/Male

#### Description

- LMR-400-FR
- Flame Retardant Indoor/Outdoor Jacket
- Pre-Terminated with N and SMA Connectors
- Custom Lengths Available

The AFC17ROC117XXXFK series of pre-terminated coax cable assemblies are built using LMR-400-FR cable. The jacket is flame retardant and rated for indoor/outdoor use. Amerifiber's Coaxial RF cables are made in the USA and are assembled using high quality, name brand components. Each cable is stripped and terminated per factory specifications and then fully tested to ensure continuity and function. All cable assemblies carry a full lifetime warranty against defects. Custom lengths and configurations are available on request. Call us today for pricing and availability.

#### SPECIFICATIONS

Model	AFC17ROC117XXXFK
Application	Indoor/Outdoor
Cable Type	LMR-400-FR
Jacket	FRPE
Cable Diameter	.405" (10.29mm)
Conductor Size	.108" (2.74mm)
Impedance	50 ohms
Connector A	N Male
Connector B	SMA Male

Length	Part Number	Description
10'	AFC17ROC117010FK	Jumper Assembly N/Male to SMA/Male Indoor/Outdoor UltraFlex Communication Coax Cable FRPE Jacket 50 OHM Impedance 1.2 ns/foot, WSB-400 (10 feet)
25'	AFC17ROC117025FK	Jumper Assembly N/Male to SMA/Male Indoor/Outdoor UltraFlex Communication Coax Cable FRPE Jacket 50 OHM Impedance 1.2 ns/foot, WSB-400 (25 feet)
50'	AFC17ROC117050FK	Jumper Assembly N/Male to SMA/Male Indoor/Outdoor UltraFlex Communication Coax Cable FRPE Jacket 50 OHM Impedance 1.2 ns/foot, WSB-400 (50 feet)
100'	AFC17ROC117100FK	Jumper Assembly N/Male to SMA/Male Indoor/Outdoor UltraFlex Communication Coax Cable FRPE Jacket 50 OHM Impedance 1.2 ns/foot, WSB-400 (100 feet)